

Product	Stick down Luxury Vinyl Planks
Thickness	2.5mm
Wear Layer	0.5mm + A09
Protective Finish	Advanced A09 aluminium oxide
Total Weight	+/- 4490gsm
Location Grade	Heavy Commercial
Plank Size	228.6mm x 1219.2mm
Packaging Size	12 planks / 3.3445m² per box
Warranties	12 years - Heavy Commercial 25 years - Residential & Light Commercial

Bill Of Quantities - Commercial and Residential: Rococo Heavy stick down Luxury Vinyl Planks by Floornet with plank size 228.6 by 1219.2mm and a 2.5mm thickness with a 0.5mm + A09 wear layer and a total weight of +/-4490gsm, fitted in accordance with the supplier's installation instructions.

- The above warranties are only applicable if these planks have been fitted correctly and maintained properly. A simple programme of regular sweeping/vacuuming will keep the floor looking good for years to come. Avoid using abrasive materials, aggressive detergents and over wetting of the floor.
- Make sure chairs with castor wheels are equipped with soft castors, and use chair mats or floor protectors where needed.
- Rococo Heavy LVTs are suitable for indoor use only in commercial and residential areas , it should be remembered that adequate precautions must be taken to protect LVTs against sunlight to prevent premature fading or damage.
- LVTs should be transported and stored in the original, unopened packaging in dry, warm conditions. Always lay boxes down on a flat surface avoiding impacts, particularly at the corners.
- Rococo Heavy LVTs must be fully adhered to a smooth, hard, clean and permanently dry sub floor with the appropriate recommended adhesive. The finished appearance and long term performance will be affected by the quality of the surface directly underneath the planks.
- In the event of installing over underfloor heating, either a high temperature, or epoxy adhesive must be used. There are various methods of installing underfloor heating and you should always check with the supplier that Rococo Heavy is suitable for use with their system.
- Patterns and shades may vary slightly from the pictures shown, so please refer to a sample for accurate colour references.
- For quality-related issues, installation instructions, care and maintenance guidelines, warranties, and our claims policy, please visit our website or request a copy, as no claims will be considered for floor damage caused by improper application or installation.





CASHEW



HAZELNUT



ALMOND



WALNUT



PISTACHIO

IMPORTANT INFORMATION

A09 SURFACE TREATMENT



A09 is a superior surface treatment consisting of minute particles of aluminum oxide which are encapsulated in an advanced UV coating. It is applied to the surface of our Rococo stick-down LVT and provides superior protection against scratches, scuffing, and stains.

It is a very hard material that registers just below diamonds on the official Measurement of Hardness Scale. A09 helps to maintain the appearance of LVT and results in lower maintenance requirements and costs.